

1. (Original) A net for supporting one or more cell constructs in the culture chamber of a bioreactor, comprising an array of impermeable pyramidal elements protruding from the face of said net, wherein each of the corners of the base of each of said impermeable pyramidal elements comprises a circular opening.

2. (Original) The net according to claim 1, wherein the diameter of said circular opening is preferably between 0.1mm to 3mm, and more preferably, 1.25mm.

3. (Original) The net according to claim 1, wherein the distance between any two adjacent circular openings situated orthogonally to one another along the x- or y-axis is preferably between 1mm to 10mm, and more preferably, 3mm.

4. (Original) The net according to claim 1, wherein the angle of the outer edges of the pyramidal elements are preferably between 1° to 179° , and more preferably, 60° .

5. (Presently Amended) The net according to claim ~~any one of claims 1 to 4~~, wherein said nets may be preferably constructed from PlexiglasTM, polycarbonate or any solid transparent material.

6. (Presently Amended) A bioreactor comprising an inlet half having an opening at one end and an inlet aperture at its opposite end, and an outlet half having an opening at one end and an outlet aperture at its opposite end, wherein said halves are joined at their opening ends such that the hollow interior of said bioreactor forms a culture chamber, and further comprising at least one net for supporting

one or more cell constructs in the culture chamber
of a bioreactor, comprising an array of impermeable
pyramidal elements protruding from the face of said
net, wherein each of the corners of the base of each
of said impermeable pyramidal elements comprises a
circular opening as defined in any one of claims 1
5, wherein said net is positioned transversely
within said culture chamber at a predetermined
distance from said inlet aperture.

7. (Original) The bioreactor according to
claim 6, wherein said culture chamber is cylindrical
in shape.

8. (Original) The bioreactor according to
claim 7, wherein said net is substantially circular.

9. (Original) The bioreactor according to
claim 7, wherein the diameter of said net is
substantially equal to the diameter of said culture
chamber.

10. (Presently Amended) The bioreactor according to
claim any one of claims 6 to 9, wherein two
substantially identical said nets are positioned
transversely within said culture chamber at a
predetermined distance from each other.

11. (Original) The bioreactor according to
claim 10, wherein at least one of said nets is
permanently affixed to the circumference of said
culture chamber.

12. (Original) The bioreactor according to
claim 10, comprising means for removably affixing at
least one of said nets within said culture chamber.

13. (Original) The bioreactor according to claim 12, wherein said means comprises a projection which protrudes inward from the circumference of said culture chamber wall.

14. (Original) The bioreactor according to claim 6, wherein said inlet aperture is threaded for suitably attaching means for transferring a fluid medium to said culture chamber.

15. (Original) The bioreactor according to claim 6, wherein said outlet aperture is suitably threaded for attaching means for transferring fluid medium from said culture chamber.

16. (Presently Amended) The bioreactor according to claim any one of claims 14 and 15, wherein said means comprise suitable transfer tubing.

17. (Original) The bioreactor according to claim 6, wherein said inlet half and said outlet half are joined to each other via suitable means such as screws or bolts.

18. (Original) The bioreactor according to claim 7, wherein suitable means for sealing said inlet half with said outlet half comprises an O - ring.

19. (Original) The bioreactor according to claim 6, wherein a fluid distributor mesh is positioned in said inlet half between said inlet aperture and said net.

20. (Original) The bioreactor according to claim 19, wherein a fluid distributor mesh is positioned in said outlet half between said outlet

aperture and said net.

21. (Original) The bioreactor according to claim 20, wherein said fluid distributor mesh comprises pores whose diameter is preferably up to 10mm, and more preferably 2mm.

22. (Presently Amended) The bioreactor according to claim any one of claims 6 to 21, wherein said bioreactor may be used for bioproduction of therapeutic protein.

23. (Presently Amended) The bioreactor according to claim any one of claims 6 to 21, wherein said bioreactor may be used for stem cell expansion.

24. (Original) A bioreactor system comprising:

- a. a bioreactor comprising an inlet half having an opening at one end and an inlet aperture at its opposite end, and an outlet half having an opening at one end and an outlet aperture at its opposite end, wherein said halves are joined at their opening ends such that the hollow interior of said bioreactor forms a culture chamber, and comprising two substantially identical nets for supporting at least one cell construct in said chamber, wherein the distance between said nets is substantially equal to the thickness of said at least one cell construct, wherein each of said nets comprises an array of pyramidal elements protruding from the face of said net, wherein the vertex of each of said pyramidal elements comprises a circular opening;
- b. a culture medium reservoir for storing a supply of a fluid culture medium, comprising a medium inlet and outlet, and further comprising a gas inlet and outlet;
- c. a gas supply for supplying gas to said medium

contained in said reservoir,

- d. a heat exchanger for maintaining the temperature of said medium at a constant value, and
- e. a pump for pumping said medium from said reservoir into said bioreactor and back to said reservoir.

25. (Original) The bioreactor system according to claim 24, wherein said reservoir comprises a medium sample collection outlet.

26. (Original) The bioreactor system according to claim 24, wherein said pump is a peristaltic pump.

27. (Original) A method for the cultivation of 3-D cell constructs, comprising the following steps:

- a. providing a bioreactor system comprising
 - i. a bioreactor, said bioreactor comprising an inlet half having an opening at one end and an inlet aperture at its opposite end, and an outlet half having an opening at one end and an outlet aperture at its opposite end, wherein said halves are joined at their opening ends such that the hollow interior of said bioreactor forms a culture chamber, and comprising two substantially identical nets for supporting at least one cell construct in said chamber, wherein the distance between said nets is substantially equal to the thickness of said at least one cell construct, wherein each of said nets comprises an array of pyramidal elements protruding from the face of said net, wherein the vertex of each of said pyramidal elements comprises a circular opening;
 - ii. a culture medium reservoir for storing a supply of a fluid culture medium, comprising a medium inlet and outlet;

- iii. a gas supply for supplying gas to said medium contained in said reservoir;
- iv. a heat exchanger for maintaining the temperature of said medium at a constant value; and
- v. a pump for pumping said medium from said reservoir into said bioreactor and back to said reservoir;

b. placing at least one cell construct within said culture chamber, between said nets;

c. pumping said medium from said reservoir into said culture chamber, thereby causing medium perfusion into said cell construct for a suitable period of time; and

d. harvesting the resulting construct.

28. (Original) The method according to claim 27, optionally further comprising:

- e. removing a sample of said medium from said reservoir after step c and before step d, in order to determine whether said medium should be replaced with new medium;
- f. adding fresh medium to said reservoir when necessary, after optional step e and before step d.

29. (Presently Amended) The method according to claim any one of claims 27 and 28, wherein said cell construct consists of a polymeric scaffold seeded with cells.

30. (Original) The method according to claim 29 wherein said polymer is a polysaccharide, preferably alginate.

31. (Presently Amended) The method according to claim any one of claims 29 and 30, wherein said cells are human cells, preferably cardiomyocytes.

32. (Presently Amended) The method according to
claim any one of claims 27 and 28, wherein said 3-D
cell constructs are for the bioproduction of
therapeutic proteins.

33. (Presently Amended) The method according to
claim any one of claims 27 and 28, wherein said 3-D
cell constructs are for stem cell expansion